A3+/A2 INKJET PRINTER SURECOLOR™ SC-P607/P807





The Epson SureColor[™] SC-P607/P807 brings out true quality in your photo collection. Epson's UltraChrome[®] HD ink set delivers unprecedented black density, true-to-life colour gradations and definitions. Enhanced by a practical and productive design, along with efficient connectivity features, Epson is your choice for stunning, unforgettable photo results.





SureColor SC-P607

SureColor SC-P807

ENGINEERED FOR BUSINESS

Professional Quality

The Epson UltraChrome[®] HD ink set delivers superb black density, smooth gradation, sharp definition and colour stability.



Versatile Media Handling

Supports three-way paper feeding and dynamic photo printing on a variety of media, from fine art and roll papers to panoramas over 10 feet long.

Superior Print Productivity Enjoy unparallelled speed and productivity with 80ml

high-capacity ink cartridges * and practical features such as auto-switching of photo black and matte black.

The new Epson UltraChrome[®] HD inks help you attain exceptional quality and enhanced visual brilliance in your photo prints. The nine-colour ink set delivers a wider range of colours, so the prints exhibit phenomenal longevity and impressive vividness. Whether you're a professional or a hobbyist, now you can produce consistent, stunning, exhibition-quality prints that stand the test of time.



Professional Quality

Infuse the highest black density, colour stability and exceptional print permanence into your photos. The SureColor™ SC-P607 and P807 printers use a three-level Black Ink technology that simultaneously employs Black, Light Black and Light Light Black ink, to produce a black density never before seen with pigment ink, and an unsurpassed grey balance. To add to that, the advanced black-and-white print mode achieves professional-level neutral or toned black-and-white prints.

Equipped with Epson's proprietary Micro Piezo[™] printhead, these inkjet printers deliver crisp, precise prints that exhibit minimal misting and spots. Print in sizes of up to A3+ with dots as small as 2 picolitres with the SC-P607, and up to A2 size with dots of 3.5 picolitres with the SC-P807. By employing the Epson Variable-Sized Droplet technology, the UltraChrome[®] HD ink is enhanced to deliver 10 shadings per ink droplet at a unit area. Additionally, ink-repellent coating decreases maintenance while increasing reliability.



Higher Matte Black pigment density at media surface







Versatile Media Handling

Easily print on fine art, roll papers, canvas and create panoramas over 10 feet long. Both the SureColor[™] SC-P607/P807 printers allow users to change media on the fly with three paper paths, through a high-capacity cut-sheet feeder – a single-sheet front-in and front-out thick paper path for media and poster board up to 1.5mm* thick, an optional rear-mounted 2 or 3-inch core roll feeder for P807, and a rear-mounted 2-inch core roll feeder for P607.

The sturdy optional roll holder on the P807 enables users to print on 17"-wide roll media. Ideal for printing panoramic photos.



* Available on SureColor SC-P807 only.

Superior Print Productivity

With the Epson SureColor[™] SC-P607/P807 series, you get a meticulously balanced printer designed for speed and quality. High-capacity ink cartridges let you devote more time on production and spend less time on maintenance.

The precision front-feed mechanism, and a redesigned paper path, allows for fine art paper handling, and loading from the front. This eliminates the need for rear feeding, thereby reducing the printer's footprint.

Both photo black and matte black ink cartridges are loaded simultaneously. Depending on the selected media types, the P607 and P807 switch between the two black inks via the printer driver to match the media in use, achieving ideal large photo print runs at a lower cost per print. With nine 80 ml high-yield ink cartridges, the P807 promises superior print productivity like never before. Photo black produces prints with minimal grey for rich, highly detailed prints, while matte black significantly increases ink density when printing on more absorbent matte surfaces.



PARTNERS IN PERFECTION



Epson Signature Worthy Media

Designed in collaboration with the world's leading creative professionals, Epson Signature Worthy Papers have been developed and tested at the highest levels to work in concert with Epson's industry-leading professional printers and inks.

Convenient Connectivity

Wherever you may be, all you need is an internet connection and a mobile device fitted with Apple[®] AirPrint[™] or Google Cloud Print[™] to print directly from your screen. Equipped with connectivity features such as 100 Mbit Ethernet, Wi-Fi Direct, Wireless n1 and Hi-Speed USB 2.0, the SureColor SC-P607 and P807 printers provide flexible options for seamless and effortless connectivity across platforms and devices.



Ease of Use

2.7" LCD Panel

The backlit 2.7-inch Tilting Colour LCD touch panel allows for most functions to be accessed and controlled from the screen, including the initial setting up – without the need to turn on the PC.

Epson Layout Manager

The Epson Print Layout interface supports the use of advanced Adobe[®] Photoshop[®] and Adobe[®] Lightroom plug-ins, eliminating the hassle of dealing with multiple software interfaces by providing all-in- one access to image previews, printer driver settings and colour settings.



Epson Colorbase 2

To ensure that the exact print quality and resolution is preserved whenever needed, the Epson Colorbase 2 software is the go-to utility to calibrate your company's professional range.

With a few simple and intuitive steps, this user-friendly application only needs a one-time calibration when using genuine media. There is no need to recalibrate when switching between media – this means greater productivity and output consistency.



Perfection[™] V800 Photo Scanner Boasting up to 6400 dpi with Optical Density of 4.0 Dmax for film scanning, and enhanced by an energy-efficient ReadyScan LED technology, so you can expect images refined in brilliant resolutions, with zero warm-up time.

SPECIFICATIONS SURECOLOR™ SC-P607/P807



MODEL NUMBER	SC-P607	SC-P807	Dimensions & Weight	
Maximum Print Size	13" wide	17" wide	SC-P607	
Printing Technology			Weight: Approx. 15kg	
Printing Method	On-demand ink jet (piezo electric), Variable-Sized Drople	t Technology		
Nozzle Configuration	Black: 180 nozzles for each 3 black ink, Colour: 180 nozzles for each 5 colour ink			
Print Direction	Bi-directional printing, Uni-directional printing		228mm	
LUT	New LUT Technology		2201111	
Print Quality				
Maximum Resolution	5760 x 1440 dpi	2880 x 1440 dpi		
Minimum Ink Droplet Volume	2 pl	3.5 pl	369mm	
	<u>2 pi</u>		616mm	
Print Speed*	11	70		
4" x 6" PGPP Borderless	44 sec	72 sec	SC-P807	
8" x 10" A4 PGPP with Border	92 sec	120 sec	Weight: Approx. 19.5kg	
11" x 14" A3 + PGPP with Border	153 sec	197 sec		
Ink System			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Name	Epson UltraChrome HD ink			
Colour	Cyan, Vivid Magenta, Photo Black / Matte Black, Light Black, Light Light Black, Yellow, Vivid Light Magenta, Light Cyan		250mm	
Ink Conceity	25.9ml	00ml (Initial Inte Cam)		
Ink Capacity	25.9111	80ml (Initial Ink 64ml)		
Control Panel	0.7" selected OD templements		/ 376mm	
Colour & Size	2.7" colour LCD touchscreen		684mm	
Paper Handling				
Paper Feed Method	Friction Feed			
Printing Area (width)	Cut Sheet: 89mm (3.5") - 329mm (13") Roll Paper: 329mm only, 2" core	Cut Sheet: 89mm (3.5") - 431.8mm (17") Boll paper: 320 (13") - 421.8mm (17") - 2" or 3" or a		
	CD / DVD Printing: Yes	Roll paper: 329 (13") - 431.8mm (17"), 2" or 3" core	SC-P607 SC-P807	
Thickness	Back Loading Plain Paper: 0.08 - 0.11 mm	Back Loading Plain Paper: 0.08 - 0.11 mm	Ink Cartridges Product Code Product Code	
molabo	Back Loading Genuine Media: 0.08 - 0.3 mm	Back Loading Genuine Media: 0.08 - 0.3 mm	Photo Black C13T763100 C13T853100	
	Front Loading Fine Art Paper: 0.3 - 0.7 mm	Front Loading Fine Art Paper: 0.3 - 0.7 mm	Cyan C13T763200 C13T853200	
	Front Loading Straight Path: 0.7 - 1.3 mm	Front Loading Straight Path: 1.20 - 1.50 mm	Vivid Magenta C13T763300 C13T853300	
Deals Travelant Connector	Disia Danan (70 - Jan ³) 100 Obasta	Roll Path: 0.25 - 0.70 mm	Yellow C13T763400 C13T853400	
Back Tray Input Capacity	Plain Paper (73g/m ²): 120 Sheets			
Required Minimum Margin	N/A	4" x 6", 5" x 7", 8" x 10", 11" x 14", 16" x 20", 17" x 22": all directions 3mm	Light Cyan C13T763500 C13T853500	
		Thick paper: Top and bottom 20mm	Vivid Light Magenta C13T763600 C13T853600	
		Roll paper: Top 50mm, Bottom 14mm	Light Black C13T763700 C13T853700	
		Other sizes: all directions 3mm	Matte Black C13T763800 C13T853800	
Support Operation System	Windows XP SP1 / Vista / 7 / 8 / 8.1 / MacOS X 10.6.8 or later		Light Light Black C13T763900 C13T853900	
Interface	Wired Connection: Hi-Speed USB, 10 BASE-T / 100 BASE-TX		5 . 5	
	Wireless Connection: Wi-Fi (IEEE802.11 b/g/n)			
Memory	256MByte			
Environmental Characteristics			*Print speed may vary depending on system configuration,	
Temperature	Operating: 10°C - 35°C, Storage: -20°C - 40°C		interface, software, document complexity, print mode, page	
Humidity	Operating: 20 - 80% (no condensation), Storage: 5 - 85% (no condensation)		coverage, type of paper used etc.	
Dimensions / Weight (Main Unit)				
Dimension (W x D x H)	Close: 616 x 369 x 228 mm	Close: 684 x 376 x 250 mm		
	Open: 616 x 814 x 424 mm	Open: 684 x 963 x 550 mm		
Weight	Approx. 15kg (without ink cartridge)	Approx. 19.5kg (without ink cartridges)		
Dimensions / Weight (Roll Paper Unit)				
Dimension Roll Papar Unit (excluding spindles)	N/A	564 x 227 x 277 mm		
Dimension With Main Unit (including a spindle)	N/A	Close: 684 x 586 x 286 mm		
		Open: 684 x 769 x 286 mm		
Weight	N/A	Approx. 2.6kg (including a spindle)		
Electrical Characteristics				
Rated Power Supply Voltage	AC 100 - 120 V / 220 - 240 V (Rated Voltage will vary depending on area)			
Rated Frequency	50 - 60Hz		© 2019 Epson India Pvt. Ltd. All Rights Reserved.	
Power Consumption	Operating: Approx. 20W	Operating: Approx. 21W	Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON	
	Sleep: Approx. 1.4W (100 - 120 V)	Sleep: Approx. 1.8W(100 - 120 V, 120V)	and EXCEED YOUR VISION are registered trademarks	
	Sleep: Approx. 1.4W (220 - 240 V) Power off: Approx. 0.15W (100 - 120 V)	Sleep: Approx. 1.8W (220 - 240 V) Power off: Approx. 0.3W (100 - 120 V, 120V)	of Seiko Epson Corporation. All other product names	
	Power off: Approx. 0.3W (220 - 240 V)	Power off: Approx. 0.5W (220 - 240 V)	and other company names used herein are for	
Rated Power Supply Current	N/A	0.6A (100 - 120 V, 120V)	identification purposes only and are the trademarks	
		0.3A (220 - 240 V)	or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks.	
Acoustic Noise Level	Colour printing: Approx. 48.2dB according to ISO 7779		Print samples shown are simulations only. Specifications and product	
Bundled Item	Initial Ink Cartridge, Printer Driver, CD / DVD Tray,		availability are subject to change without	
	CD - Dummy, Roll Holder Assy, Setup Guide,	Supplement, Warranty	notice and may vary between countries. Please check	
	USB Cable, Supplement, Warranty		with local Epson offices for more information.	
Available Utility Software	Printer Driver, XPS Driver, Print CD, iPrint, Epson	Printer Driver, XPS Driver, Epson Easy Photo Print, EpsonNet	Apple, iPad and iPhone are trademarks of Apple Inc.,	
	Creative Print, Epson Easy Photo Print, EpsonNet	Config, EpsonNet Setup, EpsonNet Print, Software Updater,	registered in the U.S. and other countries. App Store is a	
	Config, EpsonNet Setup, EpsonNet Print, Software Updater, Firmware Updater, Adobe ICC Profile, Print	Firmware Updater, Adobe ICC Profile, Epson Print Layout, ColorBase2, E-Web Print, Uninstaller, Imaging WorkShop, iPrint,	service mark of Apple Inc.	
	Layout, ColorBase 2, E-Web Print, Uninstaller,	Epson Creative Print		
	Google Cloud Print		Android is a trademark of Google Inc.	
			Information correct at time of printing.	
	Regional Offices		Printed June 2019	

EPSON INDIA PVT. LTD.

Regional Offices:

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080-45665000 Fax: 080-45665005

Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200, Hyderabad - 4857 0032, Jipur - 78699 11699, Kolkata - 4603 4714/15/29/30, Mumbai - 3079 8200, New Delhi - 3312 0300, Pune - 3028 6000/05

CONTACT EPSON TODAY! EMAIL: vasu@eid.epson.co.in

SOUTH Alok Singh 098405 03210, Gopala Krishna 079751 85505, Devakumar 073309 11109 NORTH Akhtar Imam 099101 08780, Ashutosh Kumar 098153 94550, Sudhir Kumar 093898 35156 EAST Sourov Kumar 098746 72616 WEST Milind 098209 74733, Pratik S Mhasawade 09561973709.

Dealer's Stamp





Epson Helpline: For product info or service - 1800 425 0011 For service - 1800 123 001 600 (9AM - 6PM) (Mon - Sat) Email: Ifp@epsonindia.in

www.epson.co.in